



---

F18 SB



**SANREMO**  
COFFEEMACHINES

*made in italy*

# SANREMO

COFFEEMACHINES


**GROUP SR 61**  
Chromed brass grouphead with thermosiphonic circulation system optimized to maintain the ideal coffee extraction temperature



**ENERGY SAVING SYSTEM**  
Insulation and smart energy management to save up to 15% of energy



**ALUMINIUM DIE-CAST LEGS**  
Machine support made in die-cast aluminium




## MULTIFUNCTION DISPLAY

ECO MODE




STAND BY MODE - PRESSURE



STEAM BOILER WATER LEVEL  
STEAM BOILER PRESSURE

STAND BY MODE - TEMPERATURE



STEAM BOILER TEMPERATURE

FUNCTIONS



ACTIVATED CUP WARMER

DETECTED ALARM

ACTIVATED ECO MODE

REQUIRED SERVICE

ACTIVATED AUTOMATIC ON/OFF

CLOCK



**F18 SB**  
Link to the website

## Characteristics

**PRESSURE GAUGE**  
Allows to monitor the inlet and pump pressure during extraction.

**ELECTRONIC AUTO-LEVEL**  
Through an electronic level probe the boiler is automatically filled and maintained to the right filling level.

**STATIC RELAY BOILER TEMPERATURE**  
Allows to regulate the temperature as accurately as possible thanks to the PID algorithm.

**ALUMINIUM DIE-CAST LEGS**

**MULTIFUNCTION DISPLAY**  
Allows to monitor the right functioning of the machine and to program the main functions.

**PROGRAMMABLE ELECTRONIC PRE-INFUSION**  
Allows control with 0.1 second tolerance of the flow of water that wets the coffee bed, with programming of 4 different profiles for each group.

**HIGH PERFORMANCE VOLUMETRIC PUMP**  
Pressure stability also with prolonged and contemporary use of more than one group.

**GROUP FLUSHING**  
With a simple pressure of the button a small quantity of water is dispensed to allow the group to be always clean.

**CUP WARMER**  
Dedicated resistor to keep all the cups at the optimal temperature. Power level programmable by user.

**MIXED INFUSION HOT WATER FOR TEA AND HERBAL TEAS**  
Immediate mixing of cold / hot water for a better chemical and organoleptic quality.

**AUTO-ON, AUTO-OFF AND DAY-OFF FUNCTION**  
Programmable on-off timer for each day and/or daily timetables.

**ENERGY SAVING SYSTEM**  
Insulation and smart energy management to save up to 30% of energy.

**GROUP SR 61**  
Chromed brass grouphead with thermosiphonic circulation system optimized to maintain the ideal coffee extraction temperature.

**EASY SERVICE**  
Fast access to the internal parts for quick and easy technical service.

**AUTOMATIC CLEANING CYCLE**  
Process for coffee groups cleaning. Cleaning cycles number programmable.

## Optional

**AISI 316L STAINLESS STEEL STEAM WAND "COLD TOUCH"**  
Anti-burning feature even in conditions of prolonged use, fitted with "Latte Art" high-performance steam terminals.

**TURBO STEAM**  
Steam wand characterized by an electronic system that allows to mount and/or heat milk at the set temperature.

**COMPETITION FILTERS**  
Exclusive Sanremo design, with shape and volume designed to capture the best coffee aromas and fragrances.

**EXTERNAL VOLUMETRIC PUMP**


**NAKED PORTAFILTERS**

**PAYMENT SYSTEM**  
RS-232 communication protocol to manage cash register systems.


# F18 SB




## Versions



35.4 inches / 901 mm



42.2 inches / 1071 mm



25.5 inches / 646,5 mm

3.5 inches / 88 mm  
20.2 inches / 512 mm


### 2 group

- 2 steam taps
- 1 water tap
- 1 one-cup portafilters
- 2 two-cup portafilters

### 3 group

- 2 steam taps
- 1 water tap
- 1 one-cup portafilters
- 3 two-cup portafilters

### TALL VERSION



4.8 inches / 123 mm  
20.2 inches / 512 mm



STANDARD VERSION



TALL VERSION



## Technical data

		2 group	3 group
voltage	V	220-240 1N 50/60Hz	380-415 3N 50/60Hz
max total absorbed power/stream boiler heating element	kW	3.1 / 2.7	5.6 / 5.1
	kW	4.4 / 4.0	6.5 / 6.0
	kW	4.9 / 4.5	
steam boiler capacity	lt	11.9	18.3
pump power	kW	0.15	0.15
cup-warmer power	kW	0.20	0.25
net weight	kg	90	103

## Colors

	Matte black Black	RAL 9004
	Matte black White	RAL 9004 9003
	Matte black Brown	RAL 9004 8019
	Matte black Rosso corsa	RAL 9004

## Turbo Steam

- FOAMING
- STEAMING
- AUTOMATIC CLEANING
- HOT WATER



Turbo Steam Version



Standard Steam Version



## Control panel

4 o 6 PROGRAMMABLE DOSES

### Keyboard 5 selections




SHOT CLOCK

coffee extraction time

DOSES (1,2) SINGLE/DOUBLE

DOSES (3,4) SINGLE/DOUBLE

### Keyboard 7 selections



DOSE (5) SINGLE

DOSE (6) DOUBLE

CONTINUOUS DELIVERY / GROUP FLUSHING

---

For more information about our  
coffee machines please contact us  
at [export@sanremomachines.com](mailto:export@sanremomachines.com)



**SANREMO**  
COFFEE MACHINES

SANREMO coffee machines s.r.l.  
Via Giacomo Bortolan 52  
31050 Vascon di Carbonera [TV] – ITALY  
T +39 0422 448900  
F +39 0422 448935  
[www.sanremomachines.com](http://www.sanremomachines.com)

Sanremo Coffee Machines s.r.l. has a certified Quality Management System  
according to UNI EN ISO 9001:2015 standard.